

1. udgave

2009-11-18

Risikoledelse – Principper og vejledning

Risk management – Principles and guidelines

DANSK STANDARD Danish Standards

Kollegievej 6
DK-2920 Charlottenlund
Tel: +45 39 96 61 01
Fax: +45 39 96 61 02
dansk.standard@ds.dk
www.ds.dk

DS/ISO 31000

København

DS projekt: M228821

ICS: 03.100.01

Første del af denne publikations betegnelse er:

DS/ISO, hvilket betyder, at det er en international standard, der har status som dansk standard

Denne publikations overensstemmelse er:

IDT med: ISO 31000:2009.

DS-publikationen er på engelsk.

2009-12-07: D.d. er der i den danske titel foretaget en mindre ændring: "retningslinjer" er udskiftet med "vejledning".

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- · europæisk præstandard

DS-håndbog

samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

fuldtekstpublikation (publikationen er trykt i sin helhed)

godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
 elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandarden, eller at det er indført i hovedstandarden.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

• **IDT**: Når publikationen er identisk med en given publikation.

EQV: Når publikationen teknisk er i overensstemmelse med en given publikation, men

præsentationen er ændret.

• **NEQ**: Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en

given standard, men udarbejdet på baggrund af denne.

MOD: Når publikationen er modificeret i forhold til en given publikation.

INTERNATIONAL STANDARD

ISO 31000

First edition 2009-11-15

Risk management — Principles and guidelines

Management du risque — Principes et lignes directrices



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Page

Contents

Forewordiv Introduction......v Scope......1 1 2 Terms and definitions1 3 Principles......7 Framework 8 4 4.1 General 8 4.2 Mandate and commitment9 4.3 Design of framework for managing risk......10 4.3.1 Understanding of the organization and its context10 Establishing risk management policy......10 4.3.2 4.3.3 Accountability......11 Integration into organizational processes11 4.3.4 4.3.5 Resources11 4.3.6 Establishing internal communication and reporting mechanisms12 Establishing external communication and reporting mechanisms12 4.3.7 Implementing risk management12 4.4 4.4.1 Implementing the framework for managing risk12 4.4.2 Implementing the risk management process13 4.5 Monitoring and review of the framework13 Continual improvement of the framework13 4.6 Process 13 5 5.1 5.2 Communication and consultation14 5.3 5.3.1 General15 5.3.2 Establishing the external context15 5.3.3 5.3.4 Defining risk criteria......17 5.3.5 5.4 5.4.1 5.4.2 Risk identification.......17 5.4.3 5.4.4 5.5 5.5.1 Selection of risk treatment options19 5.5.2 Preparing and implementing risk treatment plans20 5.5.3 Monitoring and review20 5.6

Recording the risk management process......21

5.7

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 31000 was prepared by the ISO Technical Management Board Working Group on risk management.

Introduction

Organizations of all types and sizes face internal and external factors and influences that make it uncertain whether and when they will achieve their objectives. The effect this uncertainty has on an organization's objectives is "risk".

All activities of an organization involve risk. Organizations manage risk by identifying it, analysing it and then evaluating whether the risk should be modified by risk treatment in order to satisfy their risk criteria. Throughout this process, they communicate and consult with stakeholders and monitor and review the risk and the controls that are modifying the risk in order to ensure that no further risk treatment is required. This International Standard describes this systematic and logical process in detail.

While all organizations manage risk to some degree, this International Standard establishes a number of principles that need to be satisfied to make risk management effective. This International Standard recommends that organizations develop, implement and continuously improve a framework whose purpose is to integrate the process for managing risk into the organization's overall governance, strategy and planning, management, reporting processes, policies, values and culture.

Risk management can be applied to an entire organization, at its many areas and levels, at any time, as well as to specific functions, projects and activities.

Although the practice of risk management has been developed over time and within many sectors in order to meet diverse needs, the adoption of consistent processes within a comprehensive framework can help to ensure that risk is managed effectively, efficiently and coherently across an organization. The generic approach described in this International Standard provides the principles and guidelines for managing any form of risk in a systematic, transparent and credible manner and within any scope and context.

Each specific sector or application of risk management brings with it individual needs, audiences, perceptions and criteria. Therefore, a key feature of this International Standard is the inclusion of "establishing the context" as an activity at the start of this generic risk management process. Establishing the context will capture the objectives of the organization, the environment in which it pursues those objectives, its stakeholders and the diversity of risk criteria – all of which will help reveal and assess the nature and complexity of its risks.

The relationship between the principles for managing risk, the framework in which it occurs and the risk management process described in this International Standard are shown in Figure 1.

When implemented and maintained in accordance with this International Standard, the management of risk enables an organization to, for example:

- increase the likelihood of achieving objectives;
- encourage proactive management;
- be aware of the need to identify and treat risk throughout the organization;
- improve the identification of opportunities and threats;
- comply with relevant legal and regulatory requirements and international norms;
- improve mandatory and voluntary reporting;
- improve governance;
- improve stakeholder confidence and trust;

ISO 31000:2009(E)

- establish a reliable basis for decision making and planning;
- improve controls;
- effectively allocate and use resources for risk treatment;
- improve operational effectiveness and efficiency;
- enhance health and safety performance, as well as environmental protection;
- improve loss prevention and incident management;
- minimize losses;
- improve organizational learning; and
- improve organizational resilience.

This International Standard is intended to meet the needs of a wide range of stakeholders, including:

- a) those responsible for developing risk management policy within their organization;
- b) those accountable for ensuring that risk is effectively managed within the organization as a whole or within a specific area, project or activity;
- c) those who need to evaluate an organization's effectiveness in managing risk; and
- d) developers of standards, guides, procedures and codes of practice that, in whole or in part, set out how risk is to be managed within the specific context of these documents.

The current management practices and processes of many organizations include components of risk management, and many organizations have already adopted a formal risk management process for particular types of risk or circumstances. In such cases, an organization can decide to carry out a critical review of its existing practices and processes in the light of this International Standard.

In this International Standard, the expressions "risk management" and "managing risk" are both used. In general terms, "risk management" refers to the architecture (principles, framework and process) for managing risks effectively, while "managing risk" refers to applying that architecture to particular risks.




Figure 1 — Relationships between the risk management principles, framework and process

Risk management — Principles and guidelines

1 Scope

This International Standard provides principles and generic guidelines on risk management.

This International Standard can be used by any public, private or community enterprise, association, group or individual. Therefore, this International Standard is not specific to any industry or sector.

NOTE For convenience, all the different users of this International Standard are referred to by the general term "organization".

This International Standard can be applied throughout the life of an organization, and to a wide range of activities, including strategies and decisions, operations, processes, functions, projects, products, services and assets.

This International Standard can be applied to any type of risk, whatever its nature, whether having positive or negative consequences.

Although this International Standard provides generic guidelines, it is not intended to promote uniformity of risk management across organizations. The design and implementation of risk management plans and frameworks will need to take into account the varying needs of a specific organization, its particular objectives, context, structure, operations, processes, functions, projects, products, services, or assets and specific practices employed.

It is intended that this International Standard be utilized to harmonize risk management processes in existing and future standards. It provides a common approach in support of standards dealing with specific risks and/or sectors, and does not replace those standards.

This International Standard is not intended for the purpose of certification.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

risk

effect of uncertainty on objectives

- NOTE 1 An effect is a deviation from the expected positive and/or negative.
- NOTE 2 Objectives can have different aspects (such as financial, health and safety, and environmental goals) and can apply at different levels (such as strategic, organization-wide, project, product and process).
- NOTE 3 Risk is often characterized by reference to potential **events** (2.17) and **consequences** (2.18), or a combination of these.
- NOTE 4 Risk is often expressed in terms of a combination of the consequences of an event (including changes in circumstances) and the associated **likelihood** (2.19) of occurrence.

NOTE 5 Uncertainty is the state, even partial, of deficiency of information related to, understanding or knowledge of an event, its consequence, or likelihood.

[ISO Guide 73:2009, definition 1.1]

2.2

risk management

coordinated activities to direct and control an organization with regard to risk (2.1)

[ISO Guide 73:2009, definition 2.1]

2.3

risk management framework

set of components that provide the foundations and organizational arrangements for designing, implementing, **monitoring** (2.28), reviewing and continually improving **risk management** (2.2) throughout the organization

- NOTE 1 The foundations include the policy, objectives, mandate and commitment to manage risk (2.1).
- NOTE 2 The organizational arrangements include plans, relationships, accountabilities, resources, processes and activities.
- NOTE 3 The risk management framework is embedded within the organization's overall strategic and operational policies and practices.

[ISO Guide 73:2009, definition 2.1.1]

2.4

risk management policy

statement of the overall intentions and direction of an organization related to risk management (2.2)

[ISO Guide 73:2009, definition 2.1.2]

2.5

risk attitude

organization's approach to assess and eventually pursue, retain, take or turn away from risk (2.1)

[ISO Guide 73:2009, definition 3.7.1.1]

2.6

risk management plan

scheme within the **risk management framework** (2.3) specifying the approach, the management components and resources to be applied to the management of **risk** (2.1)

- NOTE 1 Management components typically include procedures, practices, assignment of responsibilities, sequence and timing of activities.
- NOTE 2 The risk management plan can be applied to a particular product, process and project, and part or whole of the organization.

[ISO Guide 73:2009, definition 2.1.3]

2.7

risk owner

person or entity with the accountability and authority to manage a risk (2.1)

[ISO Guide 73:2009, definition 3.5.1.5]